








Menu

From this key, the user may access additional functions such as Call History and Directory.




Soft Keys

Any feature shown at the bottom of the LCD is available. The appropriate feature key is displayed on the screen according to the call handling process.

Programmable Keys

These keys can be programmed as either a Flexible Line key, Programmable Feature key or One-Touch Speed Dial key.




UNIVERGE®SV9100



12/24/32 Button Digital & IP DESI-Less 8 Button Digital & IP DESI-Less 8 Button IP with Gigabit Support Reference Sheet





The Cursor key allows the user to move the cursor to the **Left**, **Right**, **Up** or **Down**. The center button functions as an Enter key.

Recall

Press this key to send a hook flash to the CO you are currently on. Depending on the CO, it may put the caller on hold with Telco or hang up.

Feature

Used to activate terminal setup functions and to program One-Touch keys.

Feature + 1 – Turns microphone On/Off.

Answer

When the LED on this key is flashing, press the key to answer a waiting call.

Hold

Press this key to put a call on hold.

Transfer

Allows the extension user to transfer a call or make a second call.

Speaker

Controls built-in speaker, which can be used for Hands Free Dialing/Monitoring. LED on key lights when key is active.

Help

Explanations of Programmable Keys can be called up on the LCD by pressing and holding the **Help** key plus a programmable key.

Exit

The user can exit from the Menu or Help mode by pressing this key.

	Œ		

	Lift the	Handset	or pre	ess Spe	eaker.
--	----------	---------	--------	---------	--------

Dial the required number. (For external calls, dial 9 first)

LAST NUMBER REDIAL

Without lifting handset, press the REDIAL
hutton

Press the Cursor key up/down to search the required number.

Droce #	or CDE	A VED to	initiata	4ba aa

НОГ

Ask the caller to please hold:

h	Droce	the	니시네	kov	hald	kov.	flashes
	PIESS	uie	пои	KHV —	HEIO.	ĸ∺v	แสรแยร

You may replace handset if you wish.

To retrieve a call:

Lift the handset.

Press the flashing line.

NOTE:

For exclusive hold – press **Feature** + **Hold**.

TRANSFER	CALLBACK	CALL FORWARD BUSY	PROGRAMMING SYSTEM SPEED	
With a call in progress:	If you dial a busy extension:	Forwards calls when your extension is busy.	NUMBERS	
Press the Transfer key.	Dial # and hang up.	To Set:	To store a Speed Dial number (display telephones only):	
Dial an extension or external number and	Replace the handset.	Lift the handset dial 742 .	Press Speaker.	
announce the call (optional).	During this time you may make and receive	Dial 1 to set.	Dial access code 753 (for system).	
Replace the handset.	calls.	Dial the destination number.	NOTE:	
NOTE:	When both extensions are free, your	Replace the handset.	Initially there are 1000 System Speed Dialing	
If the called extension is busy or does not	phone will ring.	To Cancel:	codes.	
answer, press the Flashing key to return to your caller. If the extension does not accept the	Lift the handset and the other extension will ring.	Lift the handset and dial 742 .	Enter Speed Dialing storage location.	
call, ask them to hang up and your call is	To Cancel:	Dial 0 to cancel.	☐ Dial telephone number to be stored	
returned.	Lift the handset and dial access code	Replace the handset.	(maximum of 24 digits).	
CONFERENCE	770.	<u> </u>	Press Hold.	
With a call in progress (internal or external)	CALL FORWARD – ALL	LOGIN/LOGOUT For IP telephones only.	If desired, enter name using dial pad.	
Press the Conf soft key.	Forwards all calls immediately.	To Login:	Press Speaker to hang up.	
Dial an internal or external number.	To Set:	☐ Enter the Login code and press SET soft	To dial a System Speed Dial number:	
☐ When the third party answers, press the	Lift the handset and dial the Call Forward	key.	Go Off-hook.	
ADD soft key.	All Access code 741 .	☐ Enter the password and press OK soft	☐ Press Redial.	
Press the Begin softkey to begin the	Dial 1 to set.	key.	☐ Dial the System Speed Dialing storage	
Conference.	Dial the destination number.	To Logout:	code.	
A three way conference is now	Replace the handset.	Press the LOGOUT key (Display will	PROGRAMMING STATION SPEED	
established. NOTE:	To Cancel:	show LOGOUT?).	NUMBERS	
Any party may exit the conference by hanging	Lift the handset and dial 741 .	Press the LOGOUT key again and wait a few seconds for the handset to logout.	To store a Station Speed Dialing number:	
up. The two parties will remain connected, as	Dial 0 to cancel.		Press Speaker.	
long as one of the remaining parties is internal.	Replace the handset	CALL PICK UP	Dial access code 755 .	
ANSWER A SECOND CALL		To answer a ringing extension in your group:	Dial the Station Speed Dial buffer number	
Answer Hold allows a multiline terminal user to	CALL FORWARD NO ANSWER Forwards calls only after 4 – 6 rings.	☐ Lift the handset and dial ★ #.	to be programmed (0~9).	
press the flashing Answer Key to answer an incoming ringing call or a Camp-On call. When	To Set:	For answering ringing extensions not in	Dial telephone number to be stored	
the multiline terminal user is already answering	Lift the handset and dial the Call Forward	your group:	(maximum of 24 digits).	
a call, the first call is automatically placed on	No Access code 743 .	Lift the handset, dial 768 plus ringing	Press Hold.	
hold.	Dial 1 to set.	extension number.	If desired, enter name using dial pad.	
Receive a CO/DID/DIL incoming ring, the	Dial the destination number.	VOICECALL	Press Hold.	
Answer key flashes.	Replace the handset.	Allows a user to intercom other digital handsets.	Press Speaker to hang up.	
Press Answer to access the new call, the Answer LED goes out and the original call	To Cancel:	Lift the handset and dial extension	To dial a Station Speed Dialing number:	
is put on hold.	Lift the handset and dial 743 .	number.	Press Speaker .	
If additional calls are received, press	Dial 0 to cancel.	Press Voice soft key and speak over the	☐ Dial #7 .	
Answer to place the current call on hold and connect to the next call as long as Call Appearance Keys and/or CO line	Replace the handset.	intercom.	Dial the Station Speed Dial buffer number (0~9).	
keys are available.				

DISPLAY

To adjust the display:

Press the **Cursor** button up or down while the telephone is idle.

SPEAKER/RECEIVER VOLUME

To adjust the Speaker/Receiver volume:

Press the **Cursor** button up or down during conversation.

RINGER VOLUME

To adjust the ringer volume:

Press the **Cursor** button up or down during ringing.

SHORTCUT MENU

The user can access the shortcut menu by pressing the **Enter** key (center cursor button).